

- Mangelsdorf, A. J. Color and Sex in the Indian Walking Stick, 151.
Mann, W. M. Some New Neotropical Ants, 97.
Mann, Benjamin Pickman, Obituary, 172.
Mitchell, T. B. On the Megachile of South Dakota, 162.
Mjoberg, Eric. The Strange Way in which the Vishnu Moth (*Trabala vishnu*) deposits her eggs in the Shape of Larvæ, 6.
Morse, A. P. Two Vagrant Grasshoppers and a Moth, 53.
Myers, J. G. New or Little-Known Australasian Cicadas of the Genus *Me-*
lampsalta, with Notes on Songs by Iris Myers, 61.
Myers, J. G. Tillyard's Work on Insect Phylogeny, 92.
Myers, J. G. Heteroptera in Ocean Drift, 110.
Robertson, Charles. Wing Veins of Bees as Strengthening Elements, 39.
Robertson, Charles, New Name for *Odynerus clypeatus* Robertson, 126.
Smith, H. B. Notes on the Behavior of *Dineutes americanus*, 156.
Van Duzee, M. C. New Species of North American Dolichopodidæ, 45.
Wheeler, W. M. Social Habits of some Canary Island Spiders, 29.

INDEX TO SUBJECTS.

All new genera, new species and new names are printed in Small Capital Letters

- Acamatus peninsularis*, 98
Acamatus sumichrasti, 99
Acanthocheila sigillata, 86
Actina nitens, 89
Actina viridis, 88, 90
Actedium in North America, 32
Actedium kusteri, 34
ACTEUM LACHNOPHOROIDES, 34
Actedium pallidipenne, 34
ADELOPSYCHE, 16
ADELOPSYCHE FRUSTRANS, 16
Aeschna, death-feigning, 8
Aleidamea, habits of, 117
ALFARIA BUFONIS, 101
Allactina, 89
Australasian cicadas, 61
Amegilla, habits of, 118
Amnestus spinifrons, 111
Amæbaleria helvola, var. *angustifrons*, 43
Anax junius, death-feigning, 8
Andrena, habits of, 118
Aneurus inconstans, 111
Anosia plexippus, odor of, 4
Ant mounds, distribution of, 127
Anthemæssa, habits of, 118
Anthophora, habits of, 118
Ants, new neotropical, 97
Ants, sequential distribution of, 127
Aradus falleni, 110
Aradus quadrilineatus, 110
Aradus robustus, 110, 111
Aradus similis, 110
Argiope lobata, 29
Argynnис aphrodite, odor of, 2
Argynnис cybele, odor of, 2
Argyrodes argyrodes, 29
Argyrodes nephilæ, 31
Argyroselenius euphoi, 116
Argyroselenius minimus, 116
Basilarchia archippus, odor of, 4
Beris annulifera, 108
BERIS ANNULIFERA var. *BRUNNIPES*, 109
BERIS ANNULIFERA, var. *LUTEIPES*, 109
Beris quadridentata, 88
Beris viridis, 88
Bees inquiline and nest-making, 116
Bembidion lavigatum, 33
Bembidion scopulinum, 33
Bembidion ustulatum, 33
Blissus leucopterus, 111
Bombomelecta, habits of, 118
Bombus, 41
Bombus, habits of, 117
Book Review: Herrick's Injurious Insects, 27
Brenthis montinus, odor of, 2
Brenthis myrina, odor of, 3
Butterflies, odor of, 1
Calliopsis, habits of, 118
CALOBATA KENNICOTTI, 43
Capsus ater semiflavus, 111
Capsus ater tyrannus, 111
Centrias, habits of, 118
Cephen, habits of, 118
Ceramidia viridis, 53
Chesias legatella, 172
Chloralictus, habits of, 117
Cicada, see *Melampsalta*
Cicadas, songs of, 61
Clisoden, habits of, 118
Clitumnus cuniculus, 153
Colletes, phenology of, 116
Cossodes, 16
Corythuca gossypii, 111
Corythuca juglandis, 111
Corythuca spinosa, 87
Curtisapis, 41
Cryphula parallelogramma, 111
Ctenoneurus hochstetteri, 114
Cuban Tingitidæ, 86
Cymus angustatus, 110

- Cyrtophora citricola*, 29
Cyrtophora opuntiae, 29
- Death-feigning in dragon-flies, 8
Dialonia antennariae, 40
- DICRANOPTYCHA AUSTRALIS*, 55
DICRANOPTYCHA MEGAPHALLUS, 57
DICRANOPTYCHA PALLIDA, 58
DICRANOPTYCHA SEPTEMTRIONIS, 56
- Dineutes americanus*, behavior of, 156
Dineutes hornii, 158
Diptera, New American, 42
Dixippus morosus, inheritance of color and sex, 151
- Dolichopodidae, New North American, 45
- Dragonfly larvae, orientation of, 124
Drymus crassus, 110
Dudeona, 16
- ECITON GRACIELLAE*, 97
ECITON (ACAMATUS) PENINSULARE, 98
Eciton (Acamatus) sumichrasti, 98
- Emery, Carlo, 171
Emphoropsis, habits of, 118
Epeira adianta, 29
Epeira cacti-opuntiae, 29
Epeolus, habits of, 119
Epeolus, phenology of, 116
EREBOMYRMA NEVERMANNI, 103
Eremocoris ferus, 111, 112
Eugereon, 94
Eulema, 41
Eurema euterpe, odor of, 4
Eurymus philodice, odor of, 4
- EUSTICTUS AINSLEI*, 121
EUSTICTUS PILIPES, 122
EUSTICTUS PUBESCENS, 123
EUSTICTUS SPINIPES, 122
EUTRETA ANGUSTA, 44
EUTRETA HESPERA, 44
- Flight of Vanessa, 4
Florissant, fossil moth from, 16
Formica exsecta, 140
- Formica exsectoides*, sequential distribution of, 127
Fossil insects, 92
Fossil moth from Florissant, 16
- Galgupha atra*, 111
Galgupha nitiduloides, 111
Gerris rufoscutellatus, 111
Givira, 16
Grammostola acteon, 60
Grylloblatta, affinities of, 79
Gurnetia, 16
- Halictidae, habits and evolution, 117
Hemiberis, 89
Heminomada obliteratea, 40
Hemiptera in ocean drift, 110
Heterosarus, habits of, 118
Holcopasites, habits of, 118
Holcнемus rivulatus, 29
Holonomoda, habits of, 118, 119
HYDROPHORUS ALBOMACULATUS, 47
HYDROPHORUS ARGENTIFACIES, 51
HYDROPHORUS FLAVIPENNIS, 48
HYDROPHORUS LIVIDIPES, 50
HYDROPHORUS MACULIPENNIS, 45
HYDROPHORUS NIGRINERVIS, 46
HYMENOCHEMAERA, 19
- Inheritance of color and sex, 151
Inquiline bees, 116
- Junonia cœnia*, odor of, 3
- Lachnophorus, 32
Laertiæ philenor, odor of, 5
Leptodictya bambusa, 86
LEPTOGENYS PENINSULARIS, 102
LEPTOPHARSA MYERSI, 87
Leptopharsa unicarinata, 88
LERIA HELVOLA var *ANGUSTIFRONS*, 43
Lygus pratensis, 111
- Macrocytara*, 16
Mallophora chrysomela, 91

- Mallophora rex*, 91
Mann, B. Pickman, 172
Meadorus lateralis, 111
Mechanics of wing veins, 39
Megachile brevis, 162
MEGACHILE DAKOTENSIS, 164
Megachile dentitaris, 162
Megachile fidelis, 162
Megachile generosa, 162
Megachile habits of, 116
Megachile inermis, 162
Megachile fragilis, 163
Megachile integra, 163
Megachile melanophæa, 163
Megachile mendica, 162
Megachile montivaga, 163
Megachile mucida, 163
Megachile perhirta, 162
Megachile pruina, 163
Megachile pugnata, 162
Megachile pugnata pomonæ, a 163
Megachile relativa, 163
Megachile rufimanus, 163
Megachile vidua, 163
MEGORMYRUS, 36
MEGORMYRUS AMABILIS, 37
Melampsalta angusta, 74, 75
Melampsalta bilineata, 74
Melampsalta binotata, 75
Melampsalta campbelli, 69
Melampsalta cassiope, 64
Melampsalta cruentata, 74
Melampsalta cutoria, 75
MELAMPSALTA HAMILTONI, 74
Melampsalta labyrinthica, 63
Melampsalta latorea, 63
Melampsalta mackinlayi, 63
Melampsalta mangi, 67
MELAMPSALTA MELANESIANA, 64
Melampsalta muta, 74
Melampsalta ochrina, 75
MELAMPSALTA OROMELAENA, 65
Melampsalta quadricincta, 63
Melampsalta rosea, 74
Melampsalta rufescens, 74
Melampsalta sericea, 62
Melampsalta strabrokensis, 63
Melampsalta subalpina, 74
Melampsalta waterhousei, 63
Melecta, habits of, 118
Melemæa magdalena, 171
Melemæa morsicaria, 171
Melemæa virgata, 171
Melissodes, habits of, 119
Melitoma, habits of, 119
Mendelian inheritance in Volucella, 22
Meneclæs insertus, 112
Mesotitan, 94
Microstelis, habits of, 117
Migrant butterflies, 4
Miocene moth, 16
Miridæ, new species of, 121
Monanthia monotropidia, 86
Monobæus, 37
Monobæus hegeli, 37
Moth, fossil from Florissant, 16
Muscina pascuorum, distribution of, 20
Neoconocephalus triops, 53
Neotrypetes, habits of, 117
Nephilla plumipes, 31
NOTONECTA BICIRCA, 12
Notonecta bifasciata, 11, 15
NOTONECTA DISTURBATA, 14
Notonecta insulata, 11
Notonecta lunata, 12
Notonecta minuta, 14
Notonecta nigra, 11
Notonecta polystolisma, 12
NOTONECTA POLYSTOLISMA, var. SPATULATA, 15
Notonecta rugosa, 11
Notonecta selata, 12
Notonecta, South American, 11
Notonecta undulata, 11
Notonecta variabilis, 11
Notonecta virescens, 11
Ocean drift, 110
Odontomyia tumida, 42

- Odors of butterflies, 1
ODYNERUS BRADLEYI, 126
Odynerus clypeatus, 126
Oliogotropus, habits of, 117
Oplacantha annulifera, 109
 Orientation in dragonfly larvæ, 124
Ormyrodes, 37
Ormyrodes petrefactus, 37
Ormyrus, 37
Oxystoglossa confusa, 40
Ozophora picturata, 111

Panis omima erlangeriana, 18
Papilio glaucus, odor of, 4
Papilio polyxenes, odor of, 2, 4
Papilio troilus, odor of, 5
 Paralictus, habits of, 117
Parandrena andrenoides, 40
 Paururus, 169
Perdita obscurata, 39
Perditella boltoniæ, 41
Peryphus concolor, 32
Peryphus dilatum, 32
Peryphus honestum, 32
Peryphus punctulatum, 32
 Phylogeny of insects, 92
Podops cinctipes, 110, 111
Podisus maculiventris, 110
Podops parvula, 111
 Polymorphism in Volucella, 22
 Princidium, 32
Princidium concolor, 32
Princidium dilatatum, 32
Princidium honestum, 3
Princidium punctulatum, 32, 33
Princidium ruficolle, 32
 Pseudopanurgus, habits of, 118
Pseudopanurgus compositarum, 39
 Psithyryrs, habits of, 117
 Pterandrena, habits of, 118

Rhopalosoma abnorme, 118
Rhopalosoma poeyi, 18
 Rhopalosomatidæ, note on, 18

Schistocerca vaga, 53
Sicya morsicaria, 172
 Snakes eaten by spiders, 60
 Social habits of spiders, 29
Speyeria idalia, odor of, 2
 Spiders eating snakes, 60
 Spiders, social habits of, 29
 Stelidium, habits of, 117
STRATIOMYIA OCCIDENTIS, 42
STRUMIGENYS MIRABILIS, 104

Teleonemia sacchari, 86
 Teredon, 169
 Tetralonia, habits of, 114
TINGIMYRMEX, 104
TINGIMYRMEX MIRABILIS, 104
 Tingitidæ from Cuba, 86
Trabala vishnu, oviposition, 6
Trachandrena claytoniæ, 40
 Trachandrena, habits of, 118
Tribœus, 37
Triepeolus, habits of, 119

 Urocerites, 169
Urocerus californicus, 169
Urocerus cressoni, 169
 Urocerus from Baltic amber, 168
Urocerus gigas, 169
UROCERUS KLEBSI, 168

Vanduzea arcuata, 138
 Vanessa, flight of, 4
 Vishnu moth, oviposition, 6
Volucella bombylans, varieties of, 22

 Walking stick, inheritance in, 151
 Wing veins of bees, 39

 Xanthosarus, habits of, 116
Xylocopa, 41

**PIN-LABELS IN MULTIPLES OF 1000, ALIKE
ONE DOLLAR PER THOUSAND**

Smallest Type. Pure White Ledger Paper. Not over 4 Lines nor 30 Characters (13 to a line) Additional Characters, 3 cents each, in total and per line, per 1000. Trimmed so one cut makes a label.

C. V. BLACKBURN, 7 Emerson St., STONEHAM 80, MASS.

CAMBRIDGE ENTOMOLOGICAL CLUB

A regular meeting of the Club is held on the second Tuesday of each month (July, August and September excepted) at 7.45 p. m. at the Bussey Institution, Forest Hills, Boston. The Bussey Institution is one block from the Forest Hills station of both the elevated street cars and the N. Y., N. H. & H. R. R. Entomologists visiting Boston are cordially invited to attend.

We are the Headquarters for Entomological Supplies and Specimens.

Special attention is called to our hand made Schmitt boxes.

American Ent. Co. Steel Pins, Klaeger Pins, Life Histories of Beneficial and Injurious Insects, Type, Mimicry and Protective Coloration Collections; also Collections of Household, Garden, Orchard, Forest and Shade Tree Pests. Living Pupae from November to March. Exotic Insects of different orders; also Biological material for dissection.

Catalogue No. 33, Entomological Supplies, free on application.

WARD'S NATURAL SCIENCE ESTABLISHMENT
84-102 College Ave., Rochester, N. Y.



